




CLICK

Ante realizzate in tamburato di abete con spessore 25 mm. Fissate lateralmente tramite cerniere ad attacco automatico e montate sul telaio di dimensioni 105x25 mm. Il telaio forma un'architrave che viene bloccata a muro. Attenzione: non consente nessun tipo di regolazione. A completamento sono previste fasce di compensazione e coprifilo laterali e superiori. Maniglia di serie incassata. Nella versione a libro è completata da binario di scorrimento in estruso di alluminio.

Doors made of hollow-core fir with a thickness of 25 mm. Secured laterally by means of automatic hinges and mounted on the frame with dimensions 105x25 mm. The frame forms an architrave that is blocked to the wall. Warning: it does not allow any type of adjustment. To complete, compensation bands and side and top cover strips are provided. Standard built-in handle. In the folding and sliding version it is completed by a sliding track in extruded aluminum.

DIMENSIONI ANTE
DOORS DIMENSIONS



LACCATI OPACHI / MATT LACQUERED



Neve



Corda



Fango



Tabacco



Caffè



Grigio




Antracite



Nero


LACCATI SPECIALI / SPECIAL LACQUERED



Bronzo



Piombo



Titanio



Oro

LEGNI / WOOD



Canaletto



Rovere



Rovere Grigio



Rovere TT

LEGNI SPECIALI / SPECIAL WOOD



Sand



Lava

* Disponibili su richiesta / Available on request.